

Attached is a ppt presentation and the August Arsonic Tracker

Luis M. Garcia-Bakarich (WTR 3-1)  
Drinking Water Management Section

U.S. EPA Region IX

San Francisco, CA 94105

garcia-bakarich.luis@epa.gov

Telephone: (415) 972-3237

Fax (415) 947-3545

**From:** Russell, Sam  
**Sent:** Friday, October 14, 2016 1:52 PM

**To:** Garcia-Bakarich, Luis <Garcia-Bakarich.Luis@epa.gov>

**Subject:** RE: Arsenic Workgroup Meeting

Fly-fishing opportunities in the DC area are limited, but I'm having to get back to the Shenandoah's before it gets much

Fly fishing opportunities in the DC area are limited, but I'm hoping to get back to the Shenandoah's before it gets much colder.

Samuel Russell, P.E.  
CDR, US Public Health Service  
Office of Ground Water and Drinking Water  
U.S. Environmental Protection Agency  
1200 Pennsylvania Ave NW  
MC 4606M  
Washington DC 20460

Room 2368M  
202-564-4012

**From:** Garcia-Bakarich, Luis  
**Sent:** Friday, October 14, 2016 4:43 PM  
**To:** Russell, Sam <[russell.sam@epa.gov](mailto:russell.sam@epa.gov)>  
**Subject:** RE: Arsenic Workgroup Meeting

Dolly Varden. It had a good chunk taken out of its backside, probably from a larger sibling.

^..><(((^..><(((^..><(((^..><(((  
Luis M. Garcia-Bakarich (WTR 3-1)  
Drinking Water Management Section  
Water Division  
U.S. EPA Region IX  
75 Hawthorne St.  
San Francisco, CA 94105  
[garcia-bakarich.luis@epa.gov](mailto:garcia-bakarich.luis@epa.gov)  
Telephone: (415) 972-3237  
Fax (415) 947-3545

---

**From:** Russell, Sam  
**Sent:** Friday, October 14, 2016 1:40 PM  
**To:** Garcia-Bakarich, Luis <[Garcia-Bakarich.Luis@epa.gov](mailto:Garcia-Bakarich.Luis@epa.gov)>  
**Subject:** RE: Arsenic Workgroup Meeting

Confirmed, just EPA staff.

Is that a nice brown trout I see in your avatar?

Samuel Russell, P.E.  
CDR, US Public Health Service  
Office of Ground Water and Drinking Water  
U.S. Environmental Protection Agency  
1200 Pennsylvania Ave NW  
MC 4606M  
Washington DC 20460

Room 2368M  
202-564-4012

---

**From:** Garcia-Bakarich, Luis  
**Sent:** Friday, October 14, 2016 4:38 PM  
**To:** Russell, Sam <[russell.sam@epa.gov](mailto:russell.sam@epa.gov)>  
**Subject:** RE: Arsenic Workgroup Meeting

Thank you for the reminder!!

I will try to get my presentation and the tracker document out by the end of today. To confirm that it will only be EPA personnel on the call? The tracker is not officially Enforcement Confidential – we do share it with CA so it is FOIAable – but it is enforcement sensitive.

^..><(((^..><(((^..><(((^..><(((  
Luis M. Garcia-Bakarich (WTR 3-1)  
Drinking Water Management Section  
Water Division  
U.S. EPA Region IX  
75 Hawthorne St.  
San Francisco, CA 94105  
[garcia-bakarich.luis@epa.gov](mailto:garcia-bakarich.luis@epa.gov)  
Telephone: (415) 972-3237

Fax (415) 947-3545

---

**From:** Russell, Sam  
**Sent:** Friday, October 14, 2016 1:35 PM  
**To:** Garcia-Bakarich, Luis <[Garcia-Bakarich.Luis@epa.gov](mailto:Garcia-Bakarich.Luis@epa.gov)>  
**Subject:** RE: Arsenic Workgroup Meeting

Good Afternoon Luis,

I'm checking in as a reminder of the arsenic workgroup call on Monday.

Thanks in advance for talking about your program. The adobe connect link and conference line info are in the calendar invite you just received.

Thanks!

Samuel Russell, P.E.  
CDR, US Public Health Service  
Office of Ground Water and Drinking Water  
U.S. Environmental Protection Agency  
1200 Pennsylvania Ave NW  
MC 4606M  
Washington DC 20460

Room 2368M  
202-564-4012

---

**From:** Russell, Sam  
**Sent:** Friday, September 30, 2016 2:29 PM  
**To:** Garcia-Bakarich, Luis <[Garcia-Bakarich.Luis@epa.gov](mailto:Garcia-Bakarich.Luis@epa.gov)>  
**Subject:** Arsenic Workgroup Meeting

Hi Luis,

Thanks so much for agreeing to join our call. I'm looking forward to hearing about your work!

Samuel Russell, P.E.  
CDR, US Public Health Service  
Office of Ground Water and Drinking Water  
U.S. Environmental Protection Agency  
1200 Pennsylvania Ave NW  
MC 4606M  
Washington DC 20460

Room 2368M  
202-564-4012